11.1

ANDHRA PRADESH

11.1.1 Introduction

The Andhra Pradesh Reorganization Act, 2014 bifurcated the erstwhile State of Andhra Pradesh into two separate States of Andhra Pradesh & Telangana in June, 2014. Andhra Pradesh, now the 8th largest State of the country is situated along the Bay of Bengal on the southeast coast of the country. Geographical area of the State is 1,62,968 sq km which is 4.96% of the geographical area of the country. The State lies between 12°37' N to 19°55' N latitude and 76°45' E to 84°46' E longitude and is bordered by Odisha & Chhattisgarh in the north, Telangana & Karnataka in west and Tamilnadu in the south. Bay of Bengal is on the East to the State. After Gujarat, the State of Andhra Pradesh has the second longest coastline among the States of India. Physiographically, the State can be divided into Coastal Andhra and the comparatively drier Rayalaseema regions. The State experiences hot and humid climate. The annual rainfall ranges between 1,100 mm to 1,250 mm and the annual temperature varies from 15°C to 45°C. The State is drained by number of rivers, main rivers are the Godavari, Krishna and Penna. There are 13 districts in the State, out of which five are tribal districts. As per the 2011 census, Andhra Pradesh has a population of 49.39, million which is 4.08% of India's population. The urban & rural population constitute 29.58% and 70.42% respectively. The Tribal population is 5.32%. The population density of the State is 308 persons per sq km which is lower than the national average. The 19th Livestock census 2012 has reported a total livestock population of 56.10 million for the undivided State of Andhra Pradesh.

TABLE 11.1.1 Land Use Pattern

| Land Use Types | Area (in 000' ha) | Percentage |
|--|-------------------|------------|
| Geographical Area | 16,276 | |
| Reporting area for land utilization | 16,276 | 100.00 |
| Forests | 3,663 | 22.51 |
| Not available for land cultivation | 3,353 | 20.60 |
| Permanent pastures and other grazing lands | 214 | 1.32 |
| Land under misc. tree crops and groves | 159 | 0.98 |
| Culturable wasteland | 391 | 2.40 |
| Fallow land other than current fallows | 858 | 5.27 |
| Current fallows | 1,402 | 8.61 |
| Net area sown | 6,236 | 38.31 |

Source: Land Use Statistics, Ministry of Agriculture, GOI, (2014-15)

11.1.1.1 A Brief Overview of Forestry Scenario

The State has variety of vegetation types rich in flora and fauna. It's varied topography ranging from the hills of Eastern Ghats and Nallamala to the shores of Bay of Bengal, supports varied ecosystems. The forests in the State can broadly be divided into four major biotic provinces viz Deccan Plateau, Central Plateau, Eastern Highland and the East Coastal Plains. As per the Champion & Seth Classification of Forest Types (1968), the forests in Andhra Pradesh belong to five Type Groups which are further categorized into 20 Forest Types. Eastern Ghats region of the State is home to dense tropical forests, while the vegetation becomes sparse as the Ghats give way to the Deccan Plateau, where shrub vegetation is more common. The vegetation is largely dry deciduous type with a mixture of Teak, and species of the genera *Terminalia*, *Dalbergia*, *Pterocarpus*, *Anogeissus* etc. Red Sanders (*Pterocarpus santalinus*) is endemic to Andhra Pradesh and is highly valued for its rich red colour and grain pattern. Andhra Pradesh is one of the pioneer States to adopt Joint Forest Management and about one-third of the forest area of the State is under JFM.

The State is also ranked 8th in terms of the Recorded Forest Area (RFA) which is 37,258 sq km. Reserved Forest, Protected Forest and Unclassed Forest constitute 31,959 sq km, 5,069 sq km and 230 sq km of the RFA respectively. In Andhra Pradesh, during the period 1st January 2015 to 5th February 2019, a total of 3,474.57 hectares of forest land has been diverted for non-forestry purposes under the Forest Conservation Act, 1980 (MoEF & CC, 2019).

As per the information received from the State, during that last two years, 15,107 ha of plantations have been raised.

Andhra Pradesh has 3 National Parks and 13 Wildlife Sanctuaries covering an area of 7,311.08 sq km which is about 4.49% of the geographical area of the State. The long sea coast provides the nesting ground for sea turtles, the back water of Pulicat lake are the feeding grounds for Flamingo & Grey Pelican, the estuaries of river Godavari and Krishna support rich mangrove forests.


11.1.2 Forest Cover

Based on the interpretation of IRS Resourcesat-2 LISS III satellite data of the period Nov 2017 to Oct 2018, Forest Cover in the State is 29,137.40 sq km which is 17.88 % of the State's geographical area. In terms of forest canopy density classes, the State has 1,994.22 sq km under Very Dense Forest (VDF), 13,938.36 sq km under Moderately Dense Forest (MDF) and 13,204.82 sq km under Open Forest (OF). Forest Cover in the State has increased by 990.40 sq km as compared to the previous assessment reported in ISFR 2017.

TABLE 11.1.2 Forest Cover of Andhra Pradesh

| Class | Area | % of GA |
|-------|-----------|---------|
| VDF | 1,994.22 | 1.22 |
| MDF | 13,938.36 | 8.56 |
| OF | 13,204.82 | 8.10 |
| Total | 29,137.40 | 17.88 |
| Scrub | 8,254.84 | 5.07 |

FIGURE 11.1.1 Forest Cover of Andhra Pradesh



3

11.1.2.1 Forest Cover inside and outside Recorded Forest Area (or Green Wash)

The State has reported extent of recorded forest area (RFA) 37,258 sq km which is 22.86 % of its geographical area. The reserved, protected and unclassed forests are 85.78 % and 13.60 % and 0.62 % of the recorded forest area in the State respectively. However, as the digitized boundary of recorded forest area from the State covers 37,920.24 sq km, the analysis of forest cover inside and outside this area is given below.

TABLE 11.1.3 Forest Cover inside and outside Recorded Forest Area or (Green Wash) in Andhra Pradesh (in sq km)

| Forest Cove | er inside the Rec or Green Wa | orded Forest Area Forest Cover outside the Recorded Forest Area (or Green Wash) | | | | | st Area |
|-------------|----------------------------------|---|--------|-------|--------|--------|---------|
| VDF | MDF | OF | Total | VDF | MDF | OF | Total |
| 1,965 | 12,821 | 9,333 | 24,119 | 29 | 1,117 | 3,872 | 5,018 |
| 8.15% | 53.16% | 38.69% | | 0.58% | 22.26% | 77.16% | |

^{*}in case of Andhra Pradesh RFA boundaries have been used.

FIGURE 11.1.2 Forest Cover inside and outside RFA in Andhra Pradesh






TABLE 11.1.4 District-wise Forest Cover in Andhra Pradesh

(in sq km)

| | | | 2019 As | sessment | | | Change | |
|-----------------------------|---------------------------|-------------------------|-------------------------|----------------|-----------|------------|------------------------|----------|
| District | Geographical Area (GA) | Very Dense Forest | Mod. Dense Forest | Open Forest | Total | % of GA | wrt 2017 assessment | Scrub |
| Anantapur | 19,130 | 0.00 | 213.14 | 773.69 | 986.83 | 5.16 | -0.17 | 1,116.68 |
| Chittoor | 15,152 | 0.00 | 1,245.67 | 1,954.76 | 3,200.43 | 21.12 | -0.57 | 1,281.85 |
| East Godavari [™] | 12,805 | 1,103.72 | 2,589.00 | 1,301.38 | 4,994.10 | 39.00 | 268.10 | 142.12 |
| Guntur | 11,391 | 1.00 | 291.32 | 595.68 | 888.00 | 7.80 | 10.00 | 451.17 |
| Krishna | 8,727 | 38.00 | 139.58 | 472.60 | 650.18 | 7.45 | 167.18 | 25.13 |
| Kurnool | 17,658 | 87.00 | 1,509.92 | 575.65 | 2,172.57 | 12.30 | -1.43 | 680.38 |
| Prakasam | 17,626 | 254.22 | 1,802.61 | 1,247.01 | 3,303.84 | 18.74 | 12.84 | 1,194.36 |
| Sri Potti Sriramulu Nellore | 13,076 | 27.00 | 628.59 | 686.07 | 1,341.66 | 10.26 | 10.66 | 689.47 |
| Srikakulam [™] | 5,837 | 0.00 | 149.27 | 670.04 | 819.31 | 14.04 | 39.31 | 421.63 |
| Visakhapatnam [™] | 11,161 | 66.65 | 1,876.52 | 1,813.26 | 3,756.43 | 33.66 | 64.43 | 869.64 |
| Vizianagaram [™] | 6,539 | 0.00 | 230.91 | 821.08 | 1,051.99 | 16.09 | 189.99 | 354.85 |
| West Godavari [™] | 8,507 | 376.63 | 554.61 | 673.16 | 1,604.40 | 18.86 | 246.40 | 2.31 |
| YSR Kadapa/ Cuddapah | 15,359 | 40.00 | 2,707.22 | 1,620.44 | 4,367.66 | 28.44 | -16.34 | 1,025.25 |
| Grand Total | 1,62,968 | 1,994.22 | 13,938.36 | 13,204.82 | 29,137.40 | 17.88 | 990.40 | 8,254.84 |

 $\textbf{TABLE 11.1.5} \quad \text{Forest Cover Change Matrix for Andhra Pradesh}$

(in sq km)

| Class | | 2019 Assessment | | | | | |
|-------------------------|-------|-----------------|--------|--------|----------|----------|--|
| Class | VDF | MDF | OF | Scrub | NF | 2017 | |
| Very Dense Forest | 1,952 | 0 | 0 | 0 | 5 | 1,957 | |
| Moderately Dense Forest | 40 | 13,630 | 51 | 54 | 276 | 14,051 | |
| Open Forest | 2 | 163 | 10,955 | 288 | 731 | 12,139 | |
| Scrub | 0 | 30 | 760 | 7,622 | 1,148 | 9,560 | |
| Non Forest | 0 | 115 | 1,439 | 291 | 1,23,416 | 1,25,261 | |
| Total ISFR 2019 | 1,994 | 13,938 | 13,205 | 8,255 | 1,25,576 | 1,62,968 | |
| Net Change | 37 | -113 | 1,066 | -1,305 | 315 | | |

Main reasons for the increase in forest cover in the State are plantation and conservation activities and as well as improvement in interpretation.

TABLE 11.1.6 Altitude-wise Forest Cover in Andhra Pradesh

(in sq km)

| Altitude Zone (m) | Geographical Area | VDF | MDF | OF | Total | Scrub |
|-------------------|-------------------|-------|--------|--------|-----------------|-------|
| 0-500 | 1,35,122 | 1,082 | 8,556 | 10,032 | 19,670 (67.51%) | 6,286 |
| 500-1000 | 25,747 | 840 | 5,223 | 3,017 | 9,080 (31.16%) | 1,668 |
| 1000-2000 | 2,099 | 72 | 159 | 156 | 387 (1.33%) | 301 |
| Total | 1,62,968 | 1,994 | 13,938 | 13,205 | 29,137 | 8,255 |

(based on SRTM, Digital Elevation Model, 30 m, 2016)

TABLE 11.1.7 Forest Cover in different slope classes in Andhra Pradesh

(in sq km)

| Slope (in degrees) | Geographical Area | VDF | MDF | OF | Total | Scrub |
|--------------------|-------------------|-------|--------|--------|-----------------|-------|
| 0-5 | 1,31,263 | 525 | 4,224 | 5,903 | 10,652 (36.56%) | 4,277 |
| 5-10 | 10,695 | 374 | 2,321 | 1,876 | 4,571 (15.69%) | 1,305 |
| 10-15 | 6,738 | 324 | 2,068 | 1,568 | 3,960 (13.59%) | 911 |
| 15-20 | 5,500 | 288 | 1,893 | 1,404 | 3,585 (12.30%) | 723 |
| 20-25 | 4,285 | 239 | 1,600 | 1,157 | 2,996 (10.28%) | 537 |
| 25-30 | 2,718 | 154 | 1,076 | 778 | 2,008 (6.89%) | 323 |
| >30 | 1,769 | 90 | 756 | 519 | 1,365 (4.69%) | 179 |
| Total | 1,62,968 | 1,994 | 13,938 | 13,205 | 29,137 | 8,255 |

(based on SRTM, Digital Elevation Model, 30 m, 2016)

FIGURE 11.1.3 Forest Cover Map of Andhra Pradesh






TABLE 11.1.8 Wetlands inside the Recorded Forest Area (or Green Wash) in Andhra Pradesh

(in ha)

| | | (III II u | | | | |
|---------------------------------------|----------------------------|--------------------|--|--|--|--|
| Wetland Category | No. of Wetlands | Total Wetland Area | | | | |
| | Inland Wetlands - Natural | | | | | |
| Lake/Pond | 1 | 2 | | | | |
| Waterlogged | 3 | 6 | | | | |
| River/Stream | 95 | 9,794 | | | | |
| Sub - Total | 99 | 9,802 | | | | |
| | Inland Wetlands -Man-made | | | | | |
| Reservoir/Barrage | 219 | 18,011 | | | | |
| Tank/Pond | 339 | 1,944 | | | | |
| Waterlogged | 1 | 1 | | | | |
| Sub - Total | 19,956 | | | | | |
| | Coastal Wetlands - Natural | | | | | |
| Lagoon | 1 | 35 | | | | |
| Creek | 29 | 2,366 | | | | |
| Sand/Beach | 22 | 2,139 | | | | |
| Intertidal mud flat | 60 | 8,090 | | | | |
| Salt Marsh | 3 | 254 | | | | |
| Mangrove | 98 | 29,413 | | | | |
| Sub -Total | 213 | 42,297 | | | | |
| Wetlands (<2.25 ha) | letlands (<2.25 ha) 303 | | | | | |
| Total | Total 1,174 | | | | | |
| | | | | | | |
| Total Recorded Forest (or Green Wash) | | 37,92,024 | | | | |
| % of Wetland area inside Recorded Fo | 1.91% | | | | | |

(analysis based on the National Wetland Atlas: India, 2011)

11.1.3 Forest Types & Biodiversity

Forest Type Maps of 2011 have been refined in the recently completed exercise by FSI. Percentage area under different forest types of Andhra Pradesh as per the Champion & Seth classification (1968), according to the latest exercise are presented in the following table.



TABLE 11.1.9 Percentage area under different forest types of in Andhra Pradesh

| SI.No. | Forest Type | % of Forest cover |
|--------|---|-------------------|
| 1. | 3B/C2 Southern Moist Mixed Deciduous Forest | 5.20 |
| 2. | 4A/L1 Littoral Forest | 0.22 |
| 3. | 4B/TS2 Mangrove Forest | 1.07 |
| 4. | 5A/C1b Dry Teak Forest | 1.57 |
| 5. | 5A/C2 Dry Red Sanders-Bearing Forest | 2.63 |
| 6. | 5A/C3 Southern Dry Mixed Deciduous Forest | 42.97 |
| 7. | 5B/C1c Dry Peninsular Sal Forest | 0.00 |
| 8. | 5B/C2 Northern Dry Mixed Deciduous Forest | 0.00 |
| 9. | 5B/DS1 Dry Deciduous Scrub | 31.58 |
| 10. | 5B/DS2 Dry Savannah Forest | 0.15 |
| 11. | 5B/DS4 (Dry Grassland) | 0.97 |
| 12. | 5/E4 Hardwickia Forest | 0.04 |
| 13. | 5/E9 Dry Bamboo Brake | 0.82 |
| 14. | 5/2S1 Secondary Dry Deciduous Forest | 2.11 |
| 15. | 6A/C1 Southern Thorn Forest | 5.03 |
| 16. | 6A/C2 Karnatak Umbrella Thorn Forest | 0.07 |
| 17. | 6A/DS1 Southern Thorn Scrub | 0.12 |
| 18. | 6A/DS2 Southern <i>Euphorbia</i> Scrub | 0.00 |
| 19. | 7/C1 Tropical Dry Evergreen Forest | 1.40 |
| 20. | 7/DS1 Tropical Dry Evergreen Scrub | 0.05 |
| 21. | Plantation/TOF | 4.00 |
| | Total | 100.00 |

11.1.3.1 Assessment of Biodiversity

Findings of the rapid assessment of Biodiversity carried out at the national level for natural forests during September 2018 to May 2019 as part of the forest type mapping exercise is summarized below in table 11.1.11 in respect of Andhra Pradesh.

TABLE 11.1.10 Assessment of Biodiversity in Andhra Pradesh

| Plant Type | Number of Species |
|------------|-------------------|
| Tree | 242 |
| Shrub | 64 |
| Herb | 58 |

TABLE 11.1.11 Shannon-Wiener Index of Tree, Shrub and Herb species in different Type Groups of Andhra Pradesh

| | , , | | J1 1 | | |
|---------|---|----------------------|-------|------|--|
| SI.No. | Forest Type Group | Shannon-Wiener Index | | | |
| 31.110. | . Forest Type Group | Tree | Shrub | Herb | |
| 1. | Group 3- Tropical Moist Deciduous Forests | 3.15 | 2.13 | 2.89 | |
| 2. | Group 4- Littoral and Swamp Forests | * | 1.43 | * | |
| 3. | Group 5- Tropical Dry Deciduous Forests | 4.07 | 2.92 | 2.63 | |
| 4. | Group 6- Tropical Thorn Forests | 3.74 | 2.37 | 2.25 | |
| 5. | Group 7- Tropical Dry Evergreen Forests | 3.28 | 2.55 | 2.07 | |

^{*} adequate number of sample plots were not available

11.1.4 Fire Prone Forest Areas


 $Geographical \, area \, under \, different \, classes \, of forest \, fire \, proneness \, are \, given \, in \, the \, following \, table.$

TABLE 11.1.12 Forest Fire Prone Classes

(in sq km)

| Sl. No. | Forest Fire Prone Classes | Geographical Area | % of Total forest cover |
|------------|------------------------------|----------------------|-------------------------|
| 1 | Extremely fire prone | 1,147.69 | 4.26 |
| 2 | Very highly fire prone | 3,784.74 | 13.04 |
| 3 | Highly fire prone | 5,017.28 | 15.27 |
| 4 | Moderately fire prone | 7,172.12 | 18.72 |
| 5 | Less fire prone | 64,626.70 | 48.71 |
| | Total | 81,748.53 | 100.00 |

FIGURE 11.1.4 Fire prone forest areas under different fire prone classes



11.1.5 Tree Cover

Forest cover presented in the section 11.1.2 accounts for tree patches of size 1 ha and more having canopy density more than 10%. However, trees occurring in patches of size less than 1 ha including scattered trees are assessed through sampling based methodology. Tree cover in Andhra Pradesh has been estimated as given in table 11.1.13.

TABLE 11.1.13 Tree Cover in Andhra Pradesh

(in sq km)

| Tree Cover | Area | |
|------------|-------|--|
| rree cover | 3,914 | |

Tree cover of Andhra Pradesh has increased by 161 sq km as compared to the previous assessment reported in ISFR 2017.

11.1.6 Extent of Trees Outside Forest (TOF)

Trees outside Forests (TOF) refer to tree resources found outside the forests as defined in the Government records. FSI maps forest cover using satellite data and assesses tree cover outside forests using sampling based method. Forest Cover outside the recorded forest area is derived using boundaries of RFA or Green Wash. Extent of TOF therefore may be estimated as the sum of extent of forest cover outside the recorded forest areas (RFA) and tree cover as given in the preceding section.

TABLE 11.1.14 Extent of TOF in Andhra Pradesh

(in sq km)

| Forest Cover outside the RFA/GW | Tree Cover | Extent of TOF |
|---------------------------------|------------|---------------|
| 5,018 | 3,914 | 8,932 |

11.1.7 Growing Stock in Forest

Growing stock in the recorded forest areas (RFA) in Andhra Pradesh is given in the table 11.1.15. Diameter class-wise distribution of top 5 species in numbers derived from the forest inventory data is presented in the table 11.1.16

TABLE 11.1.15 Growing Stock in Andhra Pradesh

(in m cum)

| Growing Stock (GS) | | % of Country's GS |
|---------------------------------------|--------|-------------------|
| Growing Stock in Recorded Forest Area | 119.02 | 2.79 |
| Growing Stock in TOF | 67.68 | 4.12 |

TABLE 11.1.16 Diameter class distribution of top five species inside RFA in Andhra Pradesh (in '000)

| Sl.No. | Species | Dia class (cm) | | |
|--------|------------------------|----------------|-------|-----|
| | | 10-30 | 30-60 | >60 |
| 1. | Xylia xylocarpa | 42,011 | 6,137 | 536 |
| 2. | Anogeissus latifolia | 58,060 | 1,845 | 0 |
| 3. | Chlorozylon swietenia | 32,011 | 865 | 0 |
| 4. | Pterocarpus santalinus | 30,344 | 0 | 89 |
| 5. | Lannea coromandelica | 21,713 | 2,562 | 0 |

11.1.8 Carbon Stock in Forest

The total Carbon stock of forests in the State including the TOF patches which are more than 1 ha in size is 219.53 million tonnes (804.94 million tonnes of CO_2 equivalent) which is 3.08 % of total forest carbon of the country. Pool wise forest carbon in Andhra Pradesh is given in the following table

Table 11.1.17 Forest Carbon in Andhra Pradesh in different pools

(in '000 tonnes)

| AGB | BGB | Dead wood | Litter | soc | Total |
|--------|--------|-----------|--------|---------|----------|
| 60,972 | 24,206 | 629 | 3.074 | 13.0647 | 2.19.528 |

11.1.9 Growing Stock of Bamboo

Bamboo bearing area and growing stock inside the recorded forest area (RFA)/ Green Wash in the State which include culms of 1 year age and above are given in the table 11.1.18

TABLE 11.1.18 Growing Stock of Bamboo in Andhra Pradesh

| Growing Stock (GS) | | % of Country's GS of Bamboo |
|--|--------|-----------------------------|
| Bamboo bearing area inside RFA/Green Wash (in sq km) | 7,003 | 4.38 |
| Total number of culms (in millions) | 1,820 | 4.61 |
| Total equivalent green weight (in 000' tonnes) | 16,157 | 5.82 |

11.1.10 Dominant tree species in Trees Outside Forests (TOF)

Top five species in numbers in Trees Outside Forests in Andhra Pradesh in Rural and Urban areas are given in the table 11.1.19 and table 11.1.20 respectively

TABLE 11.1.19 Top five tree species in TOF (Rural) in Andhra Pradesh

TABLE 11.1.20 Top five tree species in TOF (Urban) in Andhra Pradesh

| Sl. No. | Species | Relative Abundance (%) |
|---------|-------------------------|---------------------------|
| 1. | Mangifera indica | 29.44 |
| 2. | Borassus flabelliformis | 11.72 |
| 3. | Azadirachta indica | 9.84 |
| 4. | Cocos nucifera | 7.95 |
| 5. | Anacardium occidentale | 5.20 |

| Sl. No. | Species | Relative Abundance (%) |
|---------|--------------------|---------------------------|
| 1. | Cocos nucifera | 16.46 |
| 2. | Azadirachta indica | 11.66 |
| 3. | Mangifera indica | 7.69 |
| 4. | Tectona grandis | 7.23 |
| 5. | Bongamia glabra | 6.88 |

11.1.11 Major NTFP and Invasive Species

Major NTFP and invasive species as assessed from forest inventory data are presented in the table 11.1.21 and table 11.1.22 respectively.

TABLE 11.1.21 Major NTFP species in the state of Andhra Pradesh

| Sl. No. | Species | Plant Type | Relative Abundance (%) |
|---------|--------------------|------------|------------------------|
| 1. | Solanum nigrum | Herb | 98.98 |
| 2. | Acacia concina | Shrub | 0.72 |
| 3. | Oscimum bassilicum | Herb | 0.20 |
| 4. | Nervilia aragoana | Herb | 0.10 |

TABLE 11.1.22 Major invasive species in the state inside the RFA/Green Wash in Andhra Pradesh (in sq km)

| Sl. No. | Species | Estimated Extent |
|---------|---------------------|------------------|
| 1. | Lantana camara | 518 |
| 2. | Ageratum conyzoides | 375 |
| 3. | Chromolaena odorata | 202 |
| 4. | Cuscuta spp. | 100 |
| 5. | Prosopis juliflora | 94 |

Major NTFP species are given in terms of relative abundance whereas invasive species are given in terms of their estimated extent.

11.1.12 Quantified estimation of Dependence of People living in forest fringe villages on forests in Andhra Pradesh

Through a nation-wide study, FSI has done estimation of dependence of people living in the villages close to forest for fuel wood, fodder, small timber and bamboo in quantified terms for each State & UT of the country (Please refer to Chapter 10 in Vol. I for details). The estimated quantities of the four produce for Andhra Pradesh is given in the table 11.1.23

TABLE 11.1.23 Estimation of Dependence of People in Forest Fringe Villages on Forests in Andhra Pradesh

| Fuelwood | Fodder | Bamboo | Small Timber |
|-----------|-------------|----------|--------------|
| (tonnes) | (tonnes) | (tonnes) | (cum) |
| 27,89,052 | 2,50,42,838 | 14,739 | |

