



सत्यमेव जयते

MANUAL FOR FOREST COVER MAPPING



FOREST SURVEY OF INDIA

(Ministry of Environment, Forest & Climate Change, Government of India)

Dehradun



Dr. Subhash Ashutosh
Director General



Forest Survey of India
Ministry of Environment, Forest & Climate
Change, Government of India

FOREWORD

Forests are important life support system, ensuring the ecological security of the planet. Forest ecosystems are dynamic and are under constant pressure due to growing population and demand for resources and space. Their change of state affects climate, ecosystem services, resource availability, livelihoods of the people and overall well being of the country. It is therefore, important to know the status of forest on regular basis.

Use of geospatial technology including remote sensing techniques using satellite imagery provides a synoptic view and its repetitiveness facilitates mapping and monitoring of forest resources. Forest Survey of India (FSI) under the Ministry of Environment, Forest and Climate Change, Government of India has been mandated to carry out Forest Cover Mapping on biennial basis using satellite data. FSI does the nation-wide forest cover mapping on 1:50,000 scale using multispectral IRS (LISS III) satellite data since 2001. This has ensured thematic and spatial consistency which is very important to generate comparable estimates over time and monitor trend of the forest cover changes in the country.

This manual has been brought out for the use of technical personnel of Forest Geo-Informatics Division responsible for forest cover mapping to essentially standardize the methodology and classification approach keeping in mind the forest diversity in different physiographic regions of the country. The manual provides a brief introduction about the organization and its activities followed by separate chapters on the Implementation Plan which details the internal processes, time lines and Quality Control and Quality Assurance mechanism. The subsequent chapters deal with detailed methodology, examples and a manual describing the sequence of steps involved in Forest Cover Mapping.

Apart from the technical personnel of FSI, I hope this manual will be found useful by scientists and foresters associated with forest mapping and monitoring using geospatial approaches in different institutions and State Forest Departments.

I congratulate the entire team of Forest Geo-informatics Division under the leadership of Smt. Meenakshi Joshi, Joint Director, Geo-Informatics Division for bringing out this manual.

Dr. Subhash Ashutosh





सत्यमेव जयते

Meenakshi Joshi

Joint Director

Forest Geo-Informatics Division



Forest Survey of India

Ministry of Environment, Forest & Climate
Change, Government of India

ACKNOWLEDGEMENT

The primary objective of this manual is to enable adoption of a uniform methodology by the analysts responsible for Forest Cover Mapping. I wish to express my deep sense of gratitude to Dr. Subhash Ashutosh, Director General, Forest Survey of India who was instrumental in initiating digital interpretation of Forest Cover Mapping in his first tenure as Deputy Director at Forest Survey of India, almost two decades ago. This manual is the outcome of his constant support, guidance and encouragement.

Thanks are due to Shri E. Vikram, Deputy Director, FCM-I, Shri Arun Kumar, Deputy Director, FCM-II, Dr. Sunil Chandra, Assistant Director, Shri Sanjay Agarwal, Assistant Director, Shri Abhay Kumar Saxena, Assistant Director, Shri Devi Singh, Assistant Director (I/C) and Shri Sanjay Rawat, Assistant Director (I/C) for their valuable suggestions and support in this endeavour.

I would also like to acknowledge significant contribution of Shri S.K. Singh, Assistant Director (I/C), who led the drafting team and worked tirelessly along with other members, Smt. Nita Goswami, STA, Smt. Savita Semwal, STA, Smt. Anita Bhunwal, JTA, Shri Vikas Gusain, JTA, Smt. Ekta Singh, JTA, Smt. Garima Sharma, JTA, Shri Chander Mohan Bisht, Sr. Technical Associate, Smt. Deena Yadav, Sr. Technical Associate, Shri Chiranjit Ghosh, Sr. Technical Associate, Shri Akshay Joshi, Sr. Technical Associate, Shri Sujit Kumar Jolly, Sr. Technical Associate, Shri Tanay Das, Sr. Technical Associate, Shri Abhishek Chaudhary, Sr. Technical Associate and Shri Anupam Pal, Sr. Technical Associate who prepared number of drafts before the manual could be finalized.

Suggestions provided by all the Senior Technical Assistants, Junior Technical Assistants and Technical Associates in fine-tuning of the manual to its present form are greatly acknowledged. Last but not the least, we deeply acknowledge the untiring efforts of all the past and present team members of FSI who have contributed immensely over the years in refining the methodology and timely accomplishment of the biennial FCM exercise without fail since 1987.

Meenakshi Joshi





CONTENTS

CHAPTER ONE

Introduction

1.1	About Forest Survey of India	1
1.2	Forest Cover Mapping: An Overview	1
1.2.1	Objective of Forest Cover Assessment	1
1.2.2	User's Perspective	2
1.2.3	Keeping pace with Technology	3
1.3	Forest Cover	4
1.4	Approach	4
1.5	Limitation of the Forest Cover Assessment exercise	5
1.6	About the Manual	6

CHAPTER TWO

Forest Cover Mapping - Implementation Plan

2.1	Introduction	7
2.2	Implementation Plan	7
2.2.1	Volume of work and its distribution	7
2.2.2	Schedule of Activities	9
2.2.3	Preparatory Workshops	9
2.3	Data Procurement	9
2.4	Image rectification and image improvement	11
2.5	Interpretation	11
2.6	Ground Truthing and Photo Library	12
2.7	Post field corrections	13
2.8	Edge Matching and generation of provisional statistics	13
2.9	Concurrent Quality Checking & Quality Assurance Approach	13
2.9.1	Monthly review	13
2.9.2	Periodic Review	14
2.9.3	QC &QA Team	14
2.9.4	Quarterly Review of Zones by Assistant Directors	14
2.9.5	Final Cross-checking Exercise	14

CHAPTER THREE

Methodology

3.1	Objectives of Methodology	15
3.2	Major steps involved	15
3.3	Data & Software used	15
3.4	Projection	16
3.5	Open Series Maps (OSMs)	17
3.6	Classification Scheme	19
3.7	Use of Ortho-rectified data in 16th cycle	19
3.8	Steps followed for Forest Cover Mapping using ortho-rectified data	21
3.8.1	Radiometric Correction of the ortho-rectified Satellite Data	21
3.8.2	Converting DN's to Radiance and Reflectance	22
3.8.3	Rectification of the previous cycle data as per the ortho-rectified data	25
3.9	Image Interpretation	30
3.10	Use of Collateral data to aid interpretation	31
3.11	Change Layer Preparation	33
3.12	Ground Truthing	35
3.13	Post Field Corrections	36
3.14	Smoothing (clump/eliminate) of the classified layer	36
3.15	Final product generation	36



CHAPTER FOUR

Step-wise Procedure for Digital Interpretation of Satellite Data for Forest Cover Mapping

4.1	Data Browsing and Scene Selection	41
4.2	Data Ordering	43
4.3	Data Preparation	44
4.3.1	Radiometric Correction of the data	44
4.3.2	Rectification of the previous cycle data as per the current cycle data	45
4.3.3	Image Enhancement	52
4.3.3.1	Contrast Stretching	54
4.3.3.2	Histogram Equalization	55
4.3.3.3	Standard Deviation Stretch	56
4.4	Change Detection	56
4.4.1	Real Change	56
4.4.2	Interpretational Change	56
4.5	Change Assessment	56
4.5.1	Extraction of forested area from the current cycle satellite image using NDVI transformation	56
4.5.2	Discerning the Change Polygons	60
4.6	Water Layer Extraction	64
4.7	Mosaicing of the Change layers and water body layer with previous cycle FCM layer	66
4.8	Generation of Change Matrix File	68
4.9	Ground Truthing	73
4.10	Post Field Correction	81
4.11	Change Maps to SFDs for Validation	81
4.12	Incorporation of Changes as per SFDs report	81
4.13	Statistics Generation	82
4.13.1	Assessment of District-Wise Area	82
4.13.2	Preparation of Forest Cover Change Matrix	84
4.13.3	Assessment of Altitude-Wise Area	86
4.13.4	Assessment of forest cover in different patch size	89
4.13.5	Assessment of forest cover within and outside green-wash area	91
4.13.6	Assessment of forest cover within and outside RFA	93
4.13.7	Assessment water bodies within Forest	93
4.14	Final Map Composition for India State of Forest Report (ISFR)	94

ANNEXURE

Annexure - I	Quality Checking & Quality Assurance checking form (Scene-wise)	97
Annexure - II	Quality Checking & Quality Assurance reporting form (Scene-wise)	98
Annexure - III	Abbreviations of State/UTs followed in FCM	99
Annexure - IV	Standards of Nomenclature of files	100
Annexure - V	District-wise Forest Cover	102
Annexure - VI	Forest cover in Change Matrix	102
Annexure - VII	Forest cover in different patch size classes	103
Annexure - VIII	Altitude-wise forest cover	103
Annexure - IX	Forest Cover within and outside Recorded Forest Area	104
Annexure - X	Forest Cover within and outside Green Wash Area	105
Annexure - XI	Proforma for Ground Truthing of Forest Cover Mapping	106
Annexure - XII	Change Code and Color Scheme followed in Forest Cover Classification	107



LIST OF FIGURES

Figure 1.1	FSI's approach for Forest Cover Assessment	5
Figure 2.1	Indicative work allotment distribution chart	8
Figure 2.2	Time Line Chart	8
Figure 2.3	Panoramic photograph of ground location	9
Figure 2.4	Four Directional photograph of change points on ground	11
Figure 3.1	UTM Zonation for India	16
Figure 3.2	Schematic Diagram of the methodology followed in Forest Cover Mapping	18
Figure 3.3	Classification Scheme of Forest Cover Mapping	19
Figure 3.4	Ortho-rectification process of remote sensed image data	19
Figure 3.5	Perspective of pixel from oblique to nadir view	20
Figure 3.6	Difference in Geo corrected and Ortho corrected image : Illustration	20
Figure 3.7	Interaction of solar radiation with objects	21
Figure 3.8	Steps for Radiometric correction	22
Figure 3.9	Model for converting DN to TOA Reflectance	23
Figure 3.10	Difference in the ToA reflectance image and the original image : Illustration	24
Figure 3.11	Rectification of layer stacked data using ortho-rectified reflectance data as reference	25
Figure 3.12	Rectified layer stacked data overlaid on ortho-rectified reflectance data with APM tie points	26
Figure 3.13	Comparison of rectified layer and previous cycle layer overlaid on ortho-rectified reflectance data	26
Figure 3.14	Rectification of subsetted layer stacked data using ortho-rectified reflectance data as reference	27
Figure 3.15	Rectified subsetted layer stacked data overlaid on ortho-rectified reflectance data with APM tie points	27
Figure 3.16	Comparison of rectified layer and previous cycle layer overlaid on ortho-rectified reflectance data	28
Figure 3.17	Comparison of rectified layers and previous cycle layers	28
Figure 3.18	Comparison of rectified Forest Cover and previous cycle Forest Cover overlaid on ortho-rectified data	29
Figure 3.19	15th Cycle rectified classified layer overlaid on ortho-rectified data	29
Figure 3.20	Occurrence of Lantana, in its full bloom in Punjab: Illustration	32
Figure 3.21	Poor reflectance of vegetation in Tamil Nadu due to water logging: Illustration	33
Figure 3.22	Poor reflectance of Vegetation in Rajasthan due to early leaf shedding	34
Figure 3.23	Poor reflectance of Vegetation in Andhra Pradesh due to leaf shedding	35
Figure 3.24	Standard for Change matrix	37
Figure 4.1	User Login	41
Figure 4.2	Path Based selection of scenes	42
Figure 4.3	Selection of scenes based on date	42
Figure 4.4	Details of selected scene	43
Figure 4.5	Adding selected scenes to the cart	43
Figure 4.6	Pop-Up window showing successfully addition of selected scenes to cart	44
Figure 4.7	Cart of the selected scenes	44
Figure 4.8	Converting Cart to Order	44
Figure 4.9	ToA radiometric correction model	45
Figure 4.10	Metadata of the scene	46
Figure 4.11	Layer stack of previous cycle Forest Cover classified with satellite image	47
Figure 4.12	Layer Stack Tab	48
Figure 4.13	Auto Sync Workstation Tab	48
Figure 4.14	Auto Sync Workstation New Project Window	49
Figure 4.15	GCP marked on the reference and input images using Auto Sync Workstation	49
Figure 4.16	Auto Sync Workstation Process Tab	50
Figure 4.17	APM Strategy	50
Figure 4.18	Advanced Point Matching Strategy	50



Figure 4.19	Geometric Model Tab	51
Figure 4.20	Projection Tab	51
Figure 4.21	Output Tab	52
Figure 4.22	Automated GCPs generated by Auto Sync	53
Figure 4.23	Geo-reference output image overlayed on the Reference image	53
Figure 4.24	Model for extraction of Forest Cover Classified layer from stacked image	54
Figure 4.25	General Contrast Tab	55
Figure 4.26	Contrast Adjustment dialogue Box	55
Figure 4.27	Model Maker Tool Box Option	57
Figure 4.28	Selection of NDVI from Model Library	57
Figure 4.29	Execution of NDVI	58
Figure 4.30	NDVI image generated from satellite imagery	58
Figure 4.31	Threshold for vegetated area and respective mask FCC	59
Figure 4.32	Unsupervised Classification using ISO DATA Approach	59
Figure 4.33	Preparing Signature set for Maximum Likelihood Estimation Classification	60
Figure 4.34	Merging of classes	61
Figure 4.35	Maximum Likelihood Estimation	61
Figure 4.36	Making real and interpretational change vector layers	62
Figure 4.37	Rasterisation of the change polygons	63
Figure 4.38	Region Grow Tab	64
Figure 4.39	Region Growing Properties Tab	64
Figure 4.40	Growing Properties Tool	65
Figure 4.41	Region Grow in the satellite image	65
Figure 4.42	Recode of Water Body generated from the AOI by Region Grow tool	65
Figure 4.43	Mosaic Tool	66
Figure 4.44	Forest Cover Classification Scheme	66
Figure 4.45	Clump Function	67
Figure 4.46	Eliminate Function	67
Figure 4.47	Matrix Union Tab	68
Figure 4.48	Matrix Function	68
Figure 4.49	Output of the Matrix Function	68
Figure 4.50	Recode Function	69
Figure 4.51	Recoding of Classes	69
Figure 4.52	Recoding of classes to 0 having no change	70
Figure 4.53	Recode Function	70
Figure 4.54	Recoding change-only file to veg-change-only file	70
Figure 4.55	Erdas Viewer having veg-change-only file and standard color-code file	71
Figure 4.56	Add Class Name Button	71
Figure 4.57	Merge Raster Attribute Columns	72
Figure 4.58	Add Area Button	72
Figure 4.59	Table Column Properties	72
Figure 4.60	Real Change Polygon	73
Figure 4.61	Interpretational Change Polygon	73
Figure 4.62	Raster to Shape file Tab	74
Figure 4.63	Inserting fields in the attribute	74
Figure 4.64	Adding values in the ID Field	75
Figure 4.65	Adding Coordinate value to the Latitude field	75
Figure 4.66	Adding Area value to the Area field	76
Figure 4.67	Attribute field consists of values in the fields	76
Figure 4.68	Page setup for Map composition in Arc Map	76



Figure 4.69	Map parameters in Map Frame	77
Figure 4.70	Grid generation	78
Figure 4.71	Displaying Labels	79
Figure 4.72	Final Ground Truthing Map	80
Figure 4.73	Real Change from Open Forest to Non Forest: Illustration	81
Figure 4.74	Incorporation of Interpretational Change patches in the forest cover classified	82
Figure 4.75	Change Maps to SFD for Validation	82
Figure 4.76	Excel Sheet for details of change polygons	83
Figure 4.77	Report from the SFDs	83
Figure 4.78	Summary Report of Matrix	84
Figure 4.79	Summary Function	85
Figure 4.80	Interactive Window	86
Figure 4.81	Option menu	86
Figure 4.82	Report Generation	87
Figure 4.83	Area Statistics	87
Figure 4.84	Forest Cover Change Matrix	88
Figure 4.85	Summary Report of Matrix Function	88
Figure 4.86	Interactive (Cell Array)	88
Figure 4.87	Normalized area figure of different altitude zones	89
Figure 4.88	Normalized area figure of different classes	89
Figure 4.89	Recoding forest cover classes to 2 and other classes to 1	90
Figure 4.90	Criteria for calculating patch size from 0.01 to 1 sq. km	90
Figure 4.91	Statistics for patch size from 0.01 to 1 sq. km	91
Figure 4.92	Normalized area figure of different patch size	91
Figure 4.93	Mask function	92
Figure 4.94	Summary report of area within Greenwash	93
Figure 4.95	Normalized area figure of within Greenwash and outside Greenwash	93
Figure 4.96	Extraction of water within the forest area	94
Figure 4.97	Forest Cover Classified with customised AOI	95
Figure 4.98	Scheme for recording of forest cover classified for Map composition	95
Figure 4.99	Final Forest Cover of Chhattisgarh	96

LIST OF TABLES

Table 1.1	Forest Cover Mapping over the Years	3
Table 3.1	Different Classes of Forest Canopy Density	31
Table 3.2	Sample for Error matrix	40
Table 4.12	Change point Information	81



GLOSSARY

Block Plantation

Tree plantations in compact blocks of more than 0.1 ha on lands outside recorded forest areas.

Canopy

The cover of branches and foliage formed by the crowns of trees.

Canopy Cover

The percentage of the ground covered by a vertical projection of the outermost perimeter of the natural spread of the foliage of plants.

Canopy Density

Percent area of land covered by the canopy of trees. It is expressed as a decimal coefficient, taking closed canopy as unity.

Cartographic Limit

The minimum area of a feature which can be presented on a map at a given scale.

Change Matrix

It presents change in forest cover classes for a given region (State/UT) during the period of two consecutive assessments in a matrix form by showing the changes of area from one class to another.

Crown Area

It is the area of horizontal projection of a tree crown on the ground.

Dense Forest

All lands with a forest cover having a canopy density of 40 percent and above.

Digital Image Processing (DIP)

Interpretation and classification of digital satellite data using computer and a DIP software.

Error Matrix (Confusion matrix)

It is a means to quantitatively assess the accuracy of classification of a interpreted satellite data. Under this, the reference data (ground truth) is

compared with the corresponding results of the classification on the randomly selected locations on category-by-category basis. It is presented in a square matrix.

False Color Composite

The image generated by projecting any three spectral bands of the satellite data on the red, green and blue channels and does not show features in true colours.

Farm Forestry

The practice of cultivating and managing trees in compact blocks on agricultural lands.

Forest Area

The area recorded as a forest in the Government records. It is also referred to as "Recorded Forest Area".

Forest Blank

A patch within a forest which bears few or no trees.

Forest Cover

All lands, more than one hectare in area, with a tree canopy density of more than 10 percent irrespective of ownership and legal status. Such lands may not necessarily be a recorded forest area. It also includes orchards, bamboo and palm.

Geographic Information System (GIS)

A computer based system for capturing, storing, manipulating, analyzing and displaying data, which are spatially referenced to the earth.

Green Wash

The extent of wooded areas generally shown in light green colour on the Sol toposheets.

Hill District

A district with more than 50 percent of its geographic area under 'hill talukas' based on criteria adopted by the Planning Commission for Hill Area and Western Ghats Development Programmes.



Land Cover

Broad land use classes interpreted from satellite data. It includes very dense forest, moderately dense forest, open forest, scrub and non-forest for the purpose of this report.

Mangroves

Salt tolerant evergreen forest ecosystem found mainly in tropical and sub-tropical coastal and/or inter-tidal regions.

Mangrove Cover

Area covered under mangrove vegetation as interpreted from remote sensing data. It is included in the forest cover.

MMU (Minimum mapping unit)

The MMU (minimum mapping unit) is the size of the smallest feature of a class that can be reliably mapped (2mm x 2 mm) which corresponds to 1 ha. on 1:50,000 scale for LISS III.

Moderately Dense Forest

All lands with forest cover having a canopy density between 40 to 70 percent.

Net Change (in Forest Cover)

The sum of positive and negative changes in forest cover over a period of two assessments for a given area.

Non Forest Land

Land without forest cover.

Open Forest

Lands with forest cover having a canopy density between 10 to 40 percent.

Protected Forest (PF)

An area notified under the provisions of the Indian Forest Act or other State Forest Acts, having limited degree of protection. In protected forest all activities are permitted unless prohibited.

Recorded Forest Area (RFA)

Geographic areas recorded as forest in Government records.

Remote sensing

Remote sensing is the science and art of obtaining information about an object, area, or phenomenon through the analysis of data acquired by a device that is not in contact with the object, area, or phenomenon under investigation.

Reserved Forests (RF)

An area so constituted under the provisions of the Indian Forest Act or other State Forest Acts, having full degree of protection. In Reserved forests all activities are prohibited unless permitted.

Scrub

Degraded forest lands having canopy density less than 10 percent.

Spatial Resolution

The minimum area on earth's surface that can be captured by a satellite sensor as being separate entity from its surroundings and is represented by a "pixel".

Spectral Resolution

The range of wave lengths that a satellite imaging system can detect. It refers to the width and number of spectral bands. The narrower the bands, the greater the spectral resolution.

Trees Outside Forests (TOF)

Trees growing outside recorded forest areas.

Tribal Districts

Districts identified as tribal districts under Tribal Sub-Plan (Government of India).

Unclassed Forests

An area recorded as forest but not included in reserved or protected forest category. Ownership status of such forests varies from state to state.

Very Dense Forest

Lands with forest cover having a canopy density of 70 per cent and above.

Visual Interpretation

A manual method of satellite data interpretation, which is based on man's ability to relate colours and patterns in an image to real world features.



ACRONYMS AND ABBREVIATIONS

AOI	-	Area of Interest
APM	-	Automatic Point Measurement
AWiFS	-	Advanced Wide Field Sensor
CAMPA	-	Compensatory Afforestation Fund Management and Planning Authority
CBD	-	Convention on Biological Diversity
CF	-	Correction Factor
DEM	-	Digital Elevation Model
DF	-	Dense Forest
DIP	-	Digital Image Processing
DN	-	Digital Number
FAO	-	Food & Agriculture Organization
FCC	-	False Colour Composite
FRL	-	Forest Reference Level
FSI	-	Forest Survey of India
GA	-	Geographic Area
GCP	-	Ground Control Point
GFRA	-	Global Forest Resource Assessment
GHG	-	Greenhouse Gas
GIS	-	Geographical Information System
GPS	-	Global Positioning System
GW	-	Greenwash
ISFR	-	India State of Forest Report
IRS	-	Indian Remote Sensing (Satellite)
ISRO	-	Indian Space Research Organization
IWDP	-	Integrated Wasteland Development Project
LANDSAT	-	Land Remote Sensing Satellite
LISS	-	Linear Imaging and Self-scanning Sensor
LULUCF	-	Land use, land-use change and forestry
MDF	-	Moderately Dense Forest
MGNREGS	-	Mahatma Gandhi National Rural Employment Guarantee Scheme
MLE	-	Maximum Likelihood Estimation
MMU	-	Minimum Mapping Unit
MSS	-	Multi Spectral Scanner



Mx	-	Multi Spectral
NDVI	-	Normalized Difference Vegetation Index
NF	-	Non-Forest
NRSC	-	National Remote Sensing Centre
NDWI	-	Normalized Difference Water Index
OF	-	Open Forest
OSM	-	Open Series Map
PA	-	Protected Area
PAN	-	Pan-Chromatic
PF	-	Protected Forest
PISFR	-	Pre-investment Survey of Forest Resources
QA	-	Quality Assurance
QC	-	Quality Control
REDD+	-	Reducing Emission from Deforestation and Forest Degradation
RF	-	Reserved Forest
RFA	-	Recorded Forest Area
RMSE	-	Root Mean Square Error
SFD	-	State Forest Department
SoI	-	Survey of India
SRTM	-	Shuttle Radar Topography Mission
TM	-	Thematic Mapper
ToA	-	Top of the Atmosphere
TOF	-	Trees Outside Forest
UNDP	-	United Nations Development Programme
UNFCC	-	United Nations Framework Convention on Climate Change
USGS	-	United State Geological Survey
UT	-	Union Territory
UTM	-	Universal Transverse Mercator
VDF	-	Very Dense Forest
WP	-	Working Plan



